



Complete Summary

GUIDELINE TITLE

Anaemia and growth in children.

BIBLIOGRAPHIC SOURCE(S)

Hodson E. Anaemia and growth in children. Nephrology 2005 Dec;10(S5):S220.

Hodson E. Anaemia and growth in children. Westmead NSW (Australia): CARI - Caring for Australasians with Renal Impairment; 2005 Jan. 3 p. [3 references]

GUIDELINE STATUS

This is the current release of the guideline.

** REGULATORY ALERT **

FDA WARNING/REGULATORY ALERT

Note from the National Guideline Clearinghouse: This guideline references a drug(s) for which important revised regulatory and/or warning information has been released.

- [July 31, 2008, Erythropoiesis Stimulating Agents \(ESAs\)](#): Amgen and the U.S. Food and Drug Administration (FDA) informed healthcare professionals of modifications to certain sections of the Boxed Warnings, Indications and Usage, and Dosage and Administration sections of prescribing information for Erythropoiesis Stimulating Agents (ESAs). The changes clarify the FDA-approved conditions for use of ESAs in patients with cancer and revise directions for dosing to state the hemoglobin level at which treatment with an ESA should be initiated.

COMPLETE SUMMARY CONTENT

** REGULATORY ALERT **

SCOPE

METHODOLOGY - including Rating Scheme and Cost Analysis

RECOMMENDATIONS

EVIDENCE SUPPORTING THE RECOMMENDATIONS

BENEFITS/HARMS OF IMPLEMENTING THE GUIDELINE RECOMMENDATIONS

IMPLEMENTATION OF THE GUIDELINE

INSTITUTE OF MEDICINE (IOM) NATIONAL HEALTHCARE QUALITY REPORT

CATEGORIES

IDENTIFYING INFORMATION AND AVAILABILITY

DISCLAIMER

SCOPE

DISEASE/CONDITION(S)

- Chronic kidney disease
- End-stage kidney disease
- Anemia

GUIDELINE CATEGORY

Management
Treatment

CLINICAL SPECIALTY

Family Practice
Nephrology
Pediatrics

INTENDED USERS

Physicians

GUIDELINE OBJECTIVE(S)

To review the available evidence for any relationship between anaemia and its treatment on growth in children with chronic kidney disease or end-stage kidney disease

TARGET POPULATION

Children with chronic kidney disease or end-stage kidney disease

INTERVENTIONS AND PRACTICES CONSIDERED

Correction of anemia with erythropoietin was considered but not recommended.

MAJOR OUTCOMES CONSIDERED

- Growth patterns
- Bone age delay
- Quality of life
- Cardiovascular performance

METHODOLOGY

METHODS USED TO COLLECT/SELECT EVIDENCE

Searches of Electronic Databases

DESCRIPTION OF METHODS USED TO COLLECT/SELECT THE EVIDENCE

Databases searched: Medline (1996 to November Week 2 2003) and Embase (1980 to November 2003). MeSH terms for kidney disease were combined with MeSH terms and text words for anaemia. The Cochrane Renal Group Specialized Register of randomized controlled trials was also searched for relevant trials not indexed in Medline.

Date of searches: 1 December 2003.

NUMBER OF SOURCE DOCUMENTS

Not stated

METHODS USED TO ASSESS THE QUALITY AND STRENGTH OF THE EVIDENCE

Weighting According to a Rating Scheme (Scheme Given)

RATING SCHEME FOR THE STRENGTH OF THE EVIDENCE

Levels of Evidence

Level I: Evidence obtained from a systematic review of all relevant randomized controlled trials (RCTs)

Level II: Evidence obtained from at least one properly designed RCT

Level III: Evidence obtained from well-designed pseudo-randomized controlled trials (alternate allocation or some other method); comparative studies with concurrent controls and allocation not randomized, cohort studies, case-control studies, interrupted time series with a control group; comparative studies with historical control, two or more single arm studies, interrupted time series without a parallel control group

Level IV: Evidence obtained from case series, either post-test or pretest/post-test

METHODS USED TO ANALYZE THE EVIDENCE

Systematic Review with Evidence Tables

DESCRIPTION OF THE METHODS USED TO ANALYZE THE EVIDENCE

Not stated

METHODS USED TO FORMULATE THE RECOMMENDATIONS

Expert Consensus

DESCRIPTION OF METHODS USED TO FORMULATE THE RECOMMENDATIONS

Not stated

RATING SCHEME FOR THE STRENGTH OF THE RECOMMENDATIONS

Not applicable

COST ANALYSIS

A formal cost analysis was not performed and published cost analyses were not reviewed.

METHOD OF GUIDELINE VALIDATION

Comparison with Guidelines from Other Groups
Peer Review

DESCRIPTION OF METHOD OF GUIDELINE VALIDATION

Recommendations of Others. Recommendations regarding anemia and growth in children with kidney disease from the following groups were discussed: Kidney Disease Outcomes Quality Initiative, British Renal Association, Canadian Society of Nephrology, and European Best Practice Guidelines.

RECOMMENDATIONS

MAJOR RECOMMENDATIONS

Definitions for the levels of evidence (I–IV) can be found at the end of the "Major Recommendations" field.

Guidelines

No recommendations possible based on Level I or II evidence

Suggestions for Clinical Care

(Suggestions are based on Level III and IV sources)

- There is no evidence that correction of anaemia improves growth in children with chronic kidney disease (CKD). However, correction of anaemia is indicated to improve quality of life and cardiovascular performance.

Definitions:

Levels of Evidence

Level I: Evidence obtained from a systematic review of all relevant randomized controlled trials (RCTs)

Level II: Evidence obtained from at least one properly designed RCT

Level III: Evidence obtained from well-designed pseudo-randomized controlled trials (alternate allocation or some other method); comparative studies with concurrent controls and allocation not randomized, cohort studies, case-control studies, interrupted time series with a control group; comparative studies with historical control, two or more single arm studies, interrupted time series without a parallel control group

Level IV: Evidence obtained from case series, either post-test or pretest/post-test

CLINICAL ALGORITHM(S)

None provided

EVIDENCE SUPPORTING THE RECOMMENDATIONS

TYPE OF EVIDENCE SUPPORTING THE RECOMMENDATIONS

The type of supporting evidence is identified and graded for each recommendation (see "Major Recommendations").

BENEFITS/HARMS OF IMPLEMENTING THE GUIDELINE RECOMMENDATIONS

POTENTIAL BENEFITS

Appropriate management of anemia in children with chronic kidney disease or end-stage kidney disease

POTENTIAL HARMS

Not stated

IMPLEMENTATION OF THE GUIDELINE

DESCRIPTION OF IMPLEMENTATION STRATEGY

An implementation strategy was not provided.

INSTITUTE OF MEDICINE (IOM) NATIONAL HEALTHCARE QUALITY REPORT CATEGORIES

IOM CARE NEED

Living with Illness

IOM DOMAIN

Effectiveness

IDENTIFYING INFORMATION AND AVAILABILITY

BIBLIOGRAPHIC SOURCE(S)

Hodson E. Anaemia and growth in children. *Nephrology* 2005 Dec;10(S5):S220.

Hodson E. Anaemia and growth in children. Westmead NSW (Australia): CARI - Caring for Australasians with Renal Impairment; 2005 Jan. 3 p. [3 references]

ADAPTATION

Not applicable: The guideline was not adapted from another source.

DATE RELEASED

2005 Dec

GUIDELINE DEVELOPER(S)

Caring for Australasians with Renal Impairment - Disease Specific Society

SOURCE(S) OF FUNDING

Industry-sponsored funding administered through Kidney Health Australia

GUIDELINE COMMITTEE

Not stated

COMPOSITION OF GROUP THAT AUTHORED THE GUIDELINE

Author: Elisabeth Hodson

FINANCIAL DISCLOSURES/CONFLICTS OF INTEREST

All guideline writers are required to fill out a declaration of conflict of interest.

GUIDELINE STATUS

This is the current release of the guideline.

GUIDELINE AVAILABILITY

Electronic copies: Available in Portable Document Format (PDF) from the [Caring for Australasians with Renal Impairment Web site](#).

Print copies: Available from Caring for Australasians with Renal Impairment, Locked Bag 4001, Centre for Kidney Research, Westmead NSW, Australia 2145

AVAILABILITY OF COMPANION DOCUMENTS

The following is available:

- The CARI guidelines. A guide for writers. Caring for Australasians with Renal Impairment. 2006 May. 6 p.

Electronic copies: Available from the [Caring for Australasians with Renal Impairment \(CARI\) Web site](#).

PATIENT RESOURCES

None available

NGC STATUS

This NGC summary was completed by ECRI Institute on April 28, 2008.

COPYRIGHT STATEMENT

This NGC summary is based on the original guideline, which is subject to the guideline developer's copyright restrictions.

DISCLAIMER

NGC DISCLAIMER

The National Guideline Clearinghouse™ (NGC) does not develop, produce, approve, or endorse the guidelines represented on this site.

All guidelines summarized by NGC and hosted on our site are produced under the auspices of medical specialty societies, relevant professional associations, public or private organizations, other government agencies, health care organizations or plans, and similar entities.

Guidelines represented on the NGC Web site are submitted by guideline developers, and are screened solely to determine that they meet the NGC Inclusion Criteria which may be found at <http://www.guideline.gov/about/inclusion.aspx>.

NGC, AHRQ, and its contractor ECRI Institute make no warranties concerning the content or clinical efficacy or effectiveness of the clinical practice guidelines and related materials represented on this site. Moreover, the views and opinions of developers or authors of guidelines represented on this site do not necessarily

state or reflect those of NGC, AHRQ, or its contractor ECRI Institute, and inclusion or hosting of guidelines in NGC may not be used for advertising or commercial endorsement purposes.

Readers with questions regarding guideline content are directed to contact the guideline developer.

[Copyright/Permission Requests](#)

Date Modified: 7/27/2009

